



Texas Fluorescents
Reinvented

CATALOG#:

PROJECT:

TYPE:

Series 555

LED Ceiling/Wall Mount Luminaire

Stylish ceiling/wall mounted luminaire in either white or walnut finish with a variety of LED combinations and sizes enhanced by linear sided acrylic diffuser. Designed for baths, kitchens, rec rooms, corridors, aisles, stairwells, over or beside mirrors, over bulletin boards, in vanities and in displays.

CONSTRUCTION

All metal parts are die-formed from heavy gauge cold rolled steel with overlapping end caps to insure uniformity and dimensional stability.

MOUNTING

Back plate provided with adequate knockouts and mounting holes for either wall or ceiling installation.

TYPICAL OPTIONS & ACCESSORIES

Custom finishes, internal divider, front baffle, pull chains, convenience outlets. Contact factory for custom options.

DIMENSIONS

4.50"H x 5.62"W x 24.0"L

4.37"H x 4.54"W x 48.3"L


FEATURES & BENEFITS

- Linear sided prismatic lens of extruded acrylic for controlled light.
- The LED color spectrum illuminates indoor building stairways perfectly.
- Suitable for dry and damp locations
- 50,000 hrs of L70 LED life
- CRI >80
- 0-10 Volt dimmable 120-277V
- Power factor 0.99
- 5 year warranty




DRAWINGS & IMAGES


2 Ft. - Back



4 Ft. - Back



End





Texas Fluorescents
Reinvented

CATALOG#: _____
PROJECT: _____
TYPE: _____

Series 555

LED Ceiling/Wall Luminaire

ORDER INFORMATION

4 Ft

SERIES	LENS MATERIAL	LENGTH	WATTAGE & LUMENS	DIVIDER & FRONT SHIELD	DRIVER	
555	A	48L 48"	F30W4100L	Blank No divider D Divider only F Front shield only T Top shield only	DMV 0-10V Dimming	
			30 Watts 4100 Lumens			
	MW		F48W6000L			48 Watts 6000 Lumens
			F57W6900L			57 Watts 6900 Lumens
			H72W7000L	72 Watts 7000 Lumens		
			* *			

COLOR	FINISH	OPTIONS
30K 3000K	WH White	SW2 Pull chain, 2 way switching (Use with single ballasts) GCO Grounded convenience outlet (North American 3 prong)
35K 3500K	OAK Simulated oak painted finish	
40K 4000K	WAL Simulated walnut painted finish	
50K 5000K	CH Chrome finish	
	CHEND Chrome finish on end caps only	

2 Ft

SERIES	LENS MATERIAL	LENGTH	WATTAGE & LUMENS	DIVIDER & FRONT SHIELD	DRIVER	
555	A	24L 24"	F24W2400L	Blank No divider D Divider only F Front shield only T Top shield only DF Divider & front shield TF Top & front shield	DMV 0-10V Dimming	
			24 Watts 2400 Lumens			
	MW		F28W2700L			28 Watts 2700 Lumens
			F35W3200L			35 Watts 3200 Lumens
			* *			

COLOR	FINISH	OPTIONS
30K 3000K	WH White	SW2 Pull chain, 2 way switching (Use with single ballasts) GCO Grounded convenience outlet (North American 3 prong)
35K 3500K	OAK Simulated oak painted finish	
40K 4000K	WAL Simulated walnut painted finish	
50K 5000K	CH Chrome finish	
	CHEND Chrome finish on end caps only	



Texas Fluorescents
Reinvented

CATALOG#: _____
PROJECT: _____
TYPE: _____

Series 555
LED Ceiling/Wall Luminaire

ORDER INFORMATION

DLC Listed Items

ITEM NUMBER

- 555A48LF57W6900LDMV35K
- 555A48LF48W6000LDMV35K
- 555A48LF48W6000LDMV35K
- 555A48LF30W4100LDMV35K
- 555A48LF30W4100LDMV35K
- 555A48LF57W6900LDMV35K
- 555A48LF30W4100LDMV35K
- 555A48LF57W6900LDMV35K
- 555A48LF57W6900LDMV35K
- 555A48LF48W6000LDMV35K
- 555A48LF48W6000LDMV35K
- 555A48LF30W4100LDMV35K

