

Series BOLPFL/BOLPFO

LED Commercial Grade Bollard

Attractive, heavy-duty Series BOLPFL and BOLPFO bollards feature aluminum construction housings that provide corrosion and vandal resistance. They are ideal for lighting pedestrian walkways, as well as accenting the exterior grounds of office and apartment buildings, hotel and parks. A solid foundation withstands the elements. LED driver options exist to function in even the worst weather conditions.

CONSTRUCTION

LED compartment is airtight to prevent fogging and condensation build up and keep water out. Aluminum reflector designed to reduce glare and produce an even distribution. Extruded aluminum tube provides strength as well as protects and conceals the component wiring. Clear UV resistant polycarbonate lens allows for optimal light transmission and protects the light engine compartment from harsh environments.



DIMENSIONS

Diameter: 5.74"
Height: 42"

FEATURES & BENEFITS

- Extruded aluminum alloy housing
- Standard 4kV surge
- High-impact polycarbonate diffuser
- UV stabilized powder coated finish in standard bronze
- Anodized aluminum reflector option
- UL and CUL listed for wet locations
- Multiple color temperatures (4000K, 5000K)
- Working temperature:
-40C ~ + 50C
- 5 Year Warranty

CATALOG#: _____
PROJECT: _____
TYPE: _____

CONSTRUCTION



Extruded aluminum tube provides strength and durability as well as protects and conceals the component wiring

Terminal block provided on base bracket for easy installation of incoming supply wires

Quick disconnect located near the terminal block for simple connection to the LED driver

Versatile mounting plate allows for easy installation and replacement for any project or development

LED compartment is airtight to prevent fogging and condensation build up and keep water out

Aluminum reflector designed to reduce glare and produce an even distribution

Clear UV resistant polycarbonate lens allows for optimal light transmission and protects the light engine compartment from harsh environments

Driver is mounted under the LED compartment for easy replacement and to protect from water that may accumulate in the base of the bollard. Torx security screws secure the LED compartment to the base to deter vandalism


BOLPFL **BOLPFO**

ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION
BOLPFL20W1500LMV40KBZ	LED Flat Top Bollard with Louver / 5.74" Dia x 42"H / 20W, 1500L / 120-277V / 4000K / Bronze
BOLPFL20W1500LMV50KBZ	LED Flat Top Bollard with Louver / 5.74" Dia x 42"H / 20W, 1500L / 120-277V / 5000K / Bronze
BOLPFO20W2000LMV40KBZ	LED Flat Top Bollard with Round Lens / 5.74" Dia x 42"H / 20W, 2000L / 120-277V / 4000K / Bronze
BOLPFO20W2000LMV50KBZ	LED Flat Top Bollard with Round Lens / 5.74" Dia x 42"H / 20W, 2000L / 120-277V / 5000K / Bronze

CATALOG#: _____
PROJECT: _____
TYPE: _____

DRAWINGS & IMAGES



Versatile mounting holes

