



Texas Fluorescents
Reinvented

CATALOG#: _____
PROJECT: _____
TYPE: _____

Series L25

LED Surface or Pendant Mount Linear Fixture

Full body micro silhouette makes a bold statement with a full body minimal design in post-painted in powder coated flat white polyester finish (consult factory for other finishes). Scaled to the LED module the matte white diffuser surrounds the LEDs for soft lighting. Fixture can be pendant mounted with specially engineering cable mounting kit.

CONSTRUCTION

Die-formed and welded 22-gauge cold rolled steel.
Easy to install.

DIFFUSERS

Special LED formulated frosted lenses with snap in feature for easy access.

TYPICAL OPTIONS & ACCESSORIES

Cord sets, whips, occupancy sensors, hanging kits, etc.
Contact factory for more details.



DIMENSIONS

- 2ft.-24"L x 2.5"W x 3"H
- 4ft.-48"L x 2.5"W x 3"H
- 8ft.-96"L x 2.5"W x 3"H


FEATURES & BENEFITS

- Can be surface mounted to the ceiling or pendant hung by engineered hanging kit.
- Attractive source of direct lighting for any indoor applications.
- Easy installation
- Available in custom finish. Consult factory for details.
- Suitable for dry or damp location
- 50,000 hrs of L70 LED life
- CRI >80
- Power Factor 0.99
- 0-10V dimming or Triac dimming




DRAWINGS AND DIMENSIONS


4 ft. - Back View



END VIEW



8 ft. - Back View



ORDERING INFORMATION

SERIES	LENS MATERIAL	SIZE	WATTAGE & LUMENS	DRIVER	COLOR	FINISH
L25P LED Linear Strip	SF Frosted Lens	24L 24"	T13W1300L 13 Watts 1300 Lumens	DMV 0-10V Dimming G120 Triac/ELV Dimming at 120V only	30K 3000K 35K 3500K 40K 4000K 50K 5000K	WH White WM White Marble IM Ivory Marble TO Tortoise BM Black Marble SI Silver
			T18W1800L 18 Watts 1800 Lumens			
		48L 48"	T26W2600L 26 Watts 2600 Lumens			
			T37W3770L 37 Watts 3770 Lumens			
		96L 96"	T52W5200L 52 Watts 5200 Lumens			
			T74W7400L 74 Watts 7400 Lumens			
			* _____ *			

Hanging Kit Options

HC301WH	Cable kit with 4' Cable & 3 Wires Power Feed/Cable Incl. and White Canopy
HC302WH	Cable kit with 12' Cable & 3 Wires Power feed/Cable Incl. and White Canopy
HC3015WWH	Cable kit with 4' Cable & 5 Wires Power Feed/Cable Incl. and White Canopy
HC3025WWH	Cable kit with 12' Cable & 5 Wires Power feed/Cable Incl. and White Canopy
2SCS24WH	Two Stem kits with 24" Stem, Canopy and Mounting hardware for a 4' fixture