



Texas Fluorescents
Reinvented

CATALOG#: _____
PROJECT: _____
TYPE: _____



Series 14C 22C 24C

Retrofit Reflector Kit for Parabolics/Troffers

These kits provide everything required to enhance the performance and energy savings of your recessed fixture while minimizing labor, clean up and expense. Designed to convert your old 2' or 4' T12 or T8 linear strips or industrial fixtures with New LED technology. These flexible wattage options are cost effective and recommended for school, retail, warehouse, and storage applications, or any other facility area currently using lay-in fixtures.

CONSTRUCTION

Choice of highly polished, mirrored reflector or enhanced white reflector, both designed to maximize output and efficiency. Reflectors are a premium and standard full specular mirrored aluminum and enhanced white. Socket Bars are white. Code gauge steel.

DIMENSIONS

- 1'x4' - 46"L x 7.66"W x 1.55"H
- 2'x2' - 22.6"L x 14.73"W x 1.74"H
- 2'x4'- 46"L x 14.54"W x 1.85"H

FEATURES & BENEFITS

- Fast, simple installation
- 80% more energy saving compared with fluorescent
- Available in multiple lumen packages/wattages
- Suitable for dry or damp locations
- CRI >80 standard, 90 optional
- L70: >50,000 Hours
- Dimming: 0-10V 120-277V standard, 120V ELV/TRIAC optional
- Power factor >0.90
- 5 year warranty



CATALOG# : _____

PROJECT : _____

TYPE : _____

Series 14C 22C 24C

Retrofit Reflector Kit for
Parabolics/Troffers

PRODUCT NUMBERS

Factory at your fingertips. Fill in the blanks to create your part number or create a custom configuration.

SERIES	WATTAGE* & LUMENS*	REFLECTOR	DRIVER	COLOR/CRI**	OPTIONS			
14C	J28W3500L	28 Watts 3500 Lumens	W10 White Pre-coated steel	DMV	0-10V Dimming	30K 3000K 80 CRI	EM	10W Emergency battery backup (internal, exludes less than 4ft)
	J35W4300L	35 Watts 4300 Lumens		G120	ELV/TRIAC Dimming at 120V only	35K 3500K 80 CRI	EM12	12W Emergency battery backup (internal, exludes less than 4ft)
	J40W4900L	40 Watts 4900 Lumens		D1MV	0-10V Dimming (dim to 1%)	40K 4000K 80 CRI	EM20	20W Emergency battery backup (remote only)
	J48W5800L	48 Watts 5800 Lumens				50K 5000K 80 CRI		
	J57W6600L	57 Watts 6600 Lumens				930K 3000K 90 CRI		
22C	J24W2700L	24 Watts 2700 Lumens			935K 3500K 90 CRI			
	J28W3200L	40 Watts 5000 Lumens			940K 4000K 90 CRI			
	J35W3900L	24 Watts 2700 Lumens			950K 5000K 90 CRI			
	J40W4500L	40 Watts 4500 Lumens						
24C	J28W3800L	28 Watts 3800 Lumens						
	J35W4600L	35 Watts 4600 Lumens						
	J40W5300L	40 Watts 5300 Lumens						
	J48W6300L	48 Watts 6300 Lumens						
	J57W7100L	57 Watts 7100 Lumens						

LED TROFFER RETROFIT KIT w/SMARTSENSE

ITEM NUMBER	DESCRIPTION
SM22CLY28W2850LVDMMV40K	22.6"L x 14.73"W x 1.74"H / Occupancy Sensor / 28W, 2850L / 0-10V Dim / 4000K
SM24CLY56W5650LVDMMV40K	46"L x 14.54"W x 1.85"H / Occupancy Sensor / 56W, 5650L / 0-10V Dim / 4000K

Change 40K to 30K for 3000K, 35K for 3500K or 50K for 5000K

Note:



*Programmable LED drivers allow custom configured wattages and corresponding lumens.

** Consult factory for 90 CRI 5000K availability.



We reserve the right to change design, materials, LEDs and finish in any way that will not alter installed appearance or reduce function and performance.

DRAWINGS & IMAGES



14C



22C



24C





Texas Fluorescents
Reinvented

CATALOG#:

PROJECT:

TYPE:

Series 14C 22C 24C

Retrofit Reflector Kit for
Parabolics/Troffers

ORDER INFORMATION



ITEM NUMBER	ITEM NUMBER	ITEM NUMBER
14CJ18W3500LW10DMV30K	22CF20W2300LW10DMV30K	24CF35W3650LW10DMV30K
14CJ28W3500LW10DMV35K	22CF20W2300LW10DMV35K	24CF35W3650LW10DMV35K
14CJ28W3500LW10DMV40K	22CF20W2300LW10DMV40K	24CF35W3650LW10DMV40K
14CJ28W3500LW10DMV50K	22CF20W2300LW10DMV50K	24CF35W3650LW10DMV50K
14CJ35W4300LW10DMV30K	22CF20W2300LW10DMV50K	24CF48W5650LW10DMV30K
14CJ35W4300LW10DMV35K	22CF24W2600LW10DMV30K	24CF48W5650LW10DMV35K
14CJ35W4300LW10DMV40K	22CF24W2600LW10DMV35K	24CF48W5650LW10DMV40K
14CJ35W4300LW10DMV50K	22CF24W2600LW10DMV40K	24CF48W5650LW10DMV50K
14CJ40W4900LW10DMV30K	22CF24W2600LW10DMV50K	24CF56W6050LW10DMV30K
14CJ40W4900LW10DMV35K	22CF28W3000LW10DMV30K	24CF56W6050LW10DMV35K
14CJ40W4900LW10DMV40K	22CF28W3000LW10DMV35K	24CF56W6050LW10DMV40K
14CJ40W4900LW10DMV50K	22CF28W3000LW10DMV40K	24CF56W6050LW10DMV50K
14CJ48W5800LW10DMV30K	22CF28W3000LW10DMV50K	24CJ28W3800LW10DMV30K
14CJ48W5800LW10DMV35K	22CF35W3600LW10DMV30K	24CJ28W3800LW10DMV35K
14CJ48W5800LW10DMV40K	22CF35W3600LW10DMV35K	24CJ28W3800LW10DMV40K
14CJ48W5800LW10DMV50K	22CF35W3600LW10DMV40K	24CJ28W3800LW10DMV50K
14CJ57W6600LW10DMV30K	22CF35W3600LW10DMV50K	24CJ35W4600LW10DMV30K
14CJ57W6600LW10DMV30K	22CF45W4500LW10DMV30K	24CJ35W4600LW10DMV35K
14CJ57W6600LW10DMV30K	22CF45W4500LW10DMV35K	24CJ35W4600LW10DMV40K
14CJ57W6600LW10DMV30K	22CF45W4500LW10DMV40K	24CJ35W4600LW10DMV50K
	22CF45W4500LW10DMV50K	24CJ40W5300LW10DMV30K
	22CJ24W2700LW10DMV30K	24CJ40W5300LW10DMV35K
	22CJ24W2700LW10DMV35K	24CJ40W5300LW10DMV40K
	22CJ24W2700LW10DMV40K	24CJ40W5300LW10DMV50K
	22CJ24W2700LW10DMV50K	24CJ48W6300LW10DMV30K
	22CJ28W3200LW10DMV30K	24CJ48W6300LW10DMV35K
	22CJ28W3200LW10DMV35K	24CJ48W6300LW10DMV40K
	22CJ28W3200LW10DMV40K	24CJ48W6300LW10DMV50K
	22CJ28W3200LW10DMV50K	24CJ57W7100LW10DMV30K
	22CJ35W3900LW10DMV30K	24CJ57W7100LW10DMV35K
	22CJ35W3900LW10DMV35K	24CJ57W7100LW10DMV40K
	22CJ35W3900LW10DMV40K	24CJ57W7100LW10DMV50K
	22CJ35W3900LW10DMV50K	
	22CJ40W4500LW10DMV30K	
	22CJ40W4500LW10DMV35K	
	22CJ40W4500LW10DMV40K	
	22CJ40W4500LW10DMV50K	