




JOB NAME:

CAT#:

TYPE:

APPLICATIONS

Take control of your noise level with Mobern's Acoustic Angled Linear Baffle. This unique fixture offers a seamless transition between walls and ceilings. Classic linear LEDs are coupled with modern acoustic technology to create un-invasive, directional lighting that reduces noise pollution. Arrange side by side in a continuous run to dampen sound in lengthy hallways, or around the edges of an open office space. Custom angling and color options make the Angled Baffle a perfect fit for any interior style.






FEATURES & BENEFITS

- 30+ acoustic material color options available
- Pendant mount accommodates most ceiling types
- CRI >80
- >50,000 hrs of L70 LED life
- Rated for dry and damp locations
- 0-10 Volt dimmable 120-277V
- Power factor >0.90
- 5 year warranty

DIMENSIONS

Part	L	H	W
LABA24	24"	12",16",24"	3"
LABA48	48"	12",16",24"	3"
LABA72	72"	12",16",24"	3"
LABA96	96"	12",16",24"	3"

L = Length
W = Width
H = Height



Dimensions and specifications subject to change without notice.





JOB NAME:

CAT#:

TYPE:

ORDERING

EXAMPLE: AALB 24 16 LED 13 DMV A44 30K

AALB		LED								
1. SERIES	2. LENGTH	3. HEIGHT	4. GEAR	5. DISTRIBUTION		6. WATTAGE/LUMENS		7. DRIVER		8. FLAIR A ²
AALB	24 24"	12 12"	LED	Blank	Downlight (std.)	<u>Downlight or Uplight Only</u>		DMV	120-277V Multivolt 0-10V Dimmable	A44 Ivory
	48 48"	16 16"				24 in.				
	72 72"	24 24"		U	Uplight	12	12 Watts 1320 Lumens	D120	Triac Dimming 120VAC	A11 Steel
	96 96"					24	24 Watts 2640 Lumens			
						24	24 Watts 2640 Lumens			
						48	48 Watts 5280 Lumens			
						72	72 Watts 7920 Lumens			
						36	36 Watts 3960 Lumens			
						72	72 Watts 7920 Lumens			
						52	52 Watts 5720 Lumens			
						96	96 Watts 10560 Lumens			

9. MATERIAL CLASS		10. CRI		11. COLOR TEMP		12. EM (O) ⁵		13. HANGING KIT (O) ⁵	
Blank	Class B	Blank	80	30	3000K	EM	Emergency Battery Backup ³	HC612WH	Cable kit with 12' cable & 5 wires power feed/cable incl., clear cord and white canopy
A	Class A	9	90	35	3500K				
				40	4000K			HC612WHNPF	Cable kit with 12' cable & white canopy, non power feed
				50	5000K				

Dimensions and specifications subject to change without notice.



JOB NAME:

CAT#:

TYPE:

ACOUSTIC MATERIAL COLOR OPTIONS



07 - White



44 - Ivory



42 - Cream



52 - Latte



02 - Taupe



53 - Smoky
Beige



09 - Deep
Blue



21 - Indigo
Blue



19 - Denim



56 - Azure



30 - Blue



18 - Arctic Ice



54 - Espresso




49 - Brunette



35 - Speckled
Earth



43 - Lava



36 - Berry



45 - Big Red



55 - Tangerine



41 - Marigold




50 - Caramel



51 - Sunkist
Orange



22 - Yellow



10 - True
Black




17- Dark
Gray



11 - Steel




34 - Pure
Gray



06-12-City
Brown



03-12-
Light Gray



47 - Emerald



05 - Dark
Green



12 - Moss



39 - Green
Apple



48 - Avocado



08 - Eggplant

Dimensions and specifications subject to change without notice.