

Series 200

Surface Mount Spec-Grade Wide Wraparound

The 200 Series of surface mount, Spec-grade, wide wraparounds offers all of the desirable characteristics of traditional wraparounds – but with a sleek, low profile. This acquisition-friendly line of fixtures is offered in two widths and three lengths, four Kelvin temperature options and seven lumen packages/wattages. It's engineered to provide comfortable brightness, plus an uplight component, making it ideally suited for school, retail store and office applications.

CONSTRUCTION


The socket bars and wireway covers of Series 200 fixtures quickly snap into place for easy installation and maintenance. Along the entire lengths of their housings, these wraparounds have been engineered for strength, rigidity and uniformity; their bodies and ends are die-blanked, pierced and formed using 20-gauge cold-rolled prime steel.

DIFFUSERS

Saylite's crystal-clear Series 200 diffuser is extruded from 100% virgin acrylic that will indefinitely maintain its color under normal conditions (no yellowing over time). The "Lift-and-Shift" diffuser is designed to be easily moved out of the way for fast access to the luminaire and easy relamping or cleaning. It has also been designed to remain attached when removed (hanging off either side of the housing) for convenient, two-hand maintenance. Linear prisms on the interior side walls direct light towards the ceiling for indirect lighting. The bottom is composed of evenly-spaced patterns of conical prisms that yield low brightness, glare-free, diffused light.

OPTIONS & ACCESSORIES

Emergency Battery Backup Capability, whips, suspension mounted.



DIMENSIONS

2ft. varieties:

24"L x 11.25"W x 3.4"H

24"L x 15.2"W x 3.4"H

4ft. varieties:

48"L x 11.25"W x 3.4"H

48"L x 15.2"W x 3.4"H

8ft. varieties:

96"L x 11.25"W x 3.4"H

96"L x 15.2"W x 3.4"H

FEATURES & BENEFITS

- Acquisition-friendly spec-grade surface mount wraparounds available in six sizes
- Rugged construction
- High-quality Saylite diffuser that will maintain clarity over time (no yellowing)
- Multiple lamp options for your specific application
- Ideal for schools, offices and retail applications
- Rated for dry and damp locations



CATALOG# :

PROJECT :

TYPE :

Series 200

Surface Mount Spec-Grade
Wide Wraparound

ORDER INFORMATION

Factory at your fingertips. Fill in the blanks to create your part number or create a custom configuration.

SERIES	LENS MATERIAL	LAMP COUNT	LAMP TYPE	TANDEM CODE	DRIVER
200	A Clear Prismatic Acrylic #12 Pattern	2 11.25"W	17 24in T8	BLANK No Tandem 4' fixture	S Residential 120v Ballast
		4 15.20"W	32 48in T8	8 8ft Tandem (double lamp count)	MV Electronic Multivolt (120-277)
			54 46in T5		

Additional Options

OPTIONS			
WP	6ft. 3 wire 18 gauge whip	HC101	Chain kit w/20ft chain and (6) S Hooks
WP4	6ft. 4 wire 18 gauge whip (non dimming EM)	HC204	Chain kit w/(2) 10' chain and (2) Tong hangers
WP5W	6ft. 5 wire 18 gauge whip	SCS24WH	(1) Stem white kit w/(1) 24" stem, 1 canopy, and mntg hardware for 4ft fixture
WP6W	6ft. 6 wire 18 gauge whip (dimming EM)	2SCS24WH	(2) Stems white kit w/(2) 24" stems, (2) canopies, and mntg hardware for 4ft fixture
EM14	1400 Lumen emergency battery backup (required for T5HO lamps)		
EM	500 Lumen emergency battery backup		

NOTE: Values shown are typical or recorded under standardized conditions at 25°C. Actual performance may vary based environment or application. Specifications are subject to change without notice. We reserve the right to change design, materials and finish in any way that will not alter installed appearance or reduce function and performance.



Texas Fluorescents
Reinvented

CATALOG# :

PROJECT :


TYPE :

Series 200


Surface Mount Spec-Grade
Wide Wraparound

DRAWINGS & IMAGES


24"L X 11.25"W




(2) END - 11.25"W




24"L X 15.20"W




(4) END - 15.20"W



48 "L X 11.25"W



48 "L X 15.20"W



LENS OPTIONS

SERIES	DESCRIPTIONS
0200A224L	Replacement Acrylic lens for 24"L X 11.25"W
0200A424L	Replacement Acrylic lens for 24"L X 15.20"W
0200A248L	Replacement Acrylic lens for 48"L X 11.25"W
0200A448L	Replacement Acrylic lens for 48"L X 15.20"W
0200A296L	Replacement Acrylic lens for 96"L X 11.25"W
0200A496L	Replacement Acrylic lens for 96"L X 15.20"W