

CATALOG#:

PROJECT:

TYPE:

Series SHFPELP

LED Premium Low Profile Welded Surface Flat Panels

The new SHP Shroud specially made for surface mounting flat panels with a premium look works with most ultra-thin LED flat panels in 1x4, 2x2 or 2x4. The low profile fully welded shroud is post painted and only 2.5 inches in height. There are no visible fasteners or seams. Most shrouds have seams at the corners which can take away from the modern design and clean look of the flat panel. Simply mount a well engineered mounting bracket and the Premium shroud mounts cleanly to the surface bracket. This Premium Shroud is ideal for surface or suspended applications for offices, schools, hospitality, retail and other commercial applications. Available to specify the shroud only and use with most flat panels. Consult for custom painted finishes of the shroud.

CONSTRUCTION

Specially designed shallow shroud and flat panel combined. Sealed Non-IC type high grade aluminum

MOUNTING

Surface mounting

DIMENSIONS

1x4 Shallow Shroud 12"W x 48"L x 3"H 1x4 Flat Panel 11.79"W x 7.35"L x 5"H

FEATURES & BENEFITS

- Surface mounting
- Welded shroud encloses flat panel without visual seams
- · Requires no tools to install
- Provides a sleek, fresh appearance







Texas Fluorescents Reinvented


CATALOG#:
PROJECT:
TYPE:


Series SHFPELP

LED Premium Low Profile Welded Surface Flat Panel

DRAWINGS & IMAGES

2×4







SECTION A-A SCALE 1 : 4




Texas Fluorescents Reinvented


CATALOG#:		
PROJECT:		
TYPE:		


Series SHFPELP

LED Premium Low Profile Welded Surface Flat Panel

2 x 2







SECTION A-A SCALE 1:4




Texas Fluorescents Reinvented


CATALOG#:	
PROJECT:	
TYPE:	


Series SHFPELP

LED Premium Low Profile Welded Surface Flat Panel


1 x 4







SECTION A-A SCALE 1:4



ORDER INFORMATION

ITEM NUMBER	DESCRIPTION
SHPFPELP24LED50DMVWH50	2 x 4 50W, 6250L, 4000K, 0-10V Dim, Color Temp - 35, 40, 50
SHPFPELP22LED40DMVWH50	2 x 2 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35, 40, 50
SHPFPELP14LED40DMVWH50	1 x 4 40W, 5000L, 4000K, 0-10V Dim, Color Temp - 35, 40, 50

Surface Shroud for Flat Panels

ITEM NUMBER	DESCRIPTION	
SHPFPELP24WH	2 x 4 x 3 5" Deep Surface Kit for most 2x4 Flat Panels	
SHPFPELP22WH	2 x 2 x 3 5" Deep Surface Kit for most 2x2 Flat Panels	
SHPFPELP14WH	1 x 4 x 3 5" Deep Surface Kit for most 1x4 Flat Panels	

We reserve the right to change design, materials, LED's and finish in any way that will not alter installed appearance or reduce function and performance.