

SOHo Series

Pendant Mount LED Linear


A sleek, low profile Industrial fixture sized especially for LED arrays provides a fresh look. The symmetrical reflectors are shallow but help to provide a focused spread of light for aisles and circulation spaces. A gear tray makes access to the driver and installation fast and easy. An emergency option is available with a remote driver box. Arrays are diffused with a matte white lens. Consult for X1LED version.

CONSTRUCTION

Steel construction with formed end cap and gear tray for easy access. A matte white diffuser hides the LED's and provides glare free lighting.

MOUNTING

Fixtures can be pendant mounted with cable hanging kit.



FIXTURE DIMENSIONS

48L: 11.875"W x 47.875"W x 4"H

SPECIFICATIONS

- Pendant mount for mid and high ceiling applications
- Many lumen package / wattage options via programmable drivers
- Multiple Kelvin temperature options (3000K, 3500K, 4000K, 5000K)
- Emergency battery backup options available
- CRI >80 (90 CRI available)
- >50,000 hrs of L70 LED life
- Rated for dry and damp locations
- 0-10 Volt dimmable 120-277V
- Power factor >0.90
- 5 year warranty



CATALOG# : _____
 PROJECT : _____
 TYPE : _____

SOHo Series

Pendant Mount LED Linear

ORDERING GUIDE

Factory at your fingertips. Fill in the blanks to create your part number or create a custom configuration.

Sample Part Number:

SERIES	LENGTH	GEAR	WATTAGE*1	DRIVER	CCT/CRI	FINISH ²	EMERGENCY
SOH	48L 6.88"W x 48"L	T	80W8800L 80 Watts 8,800 Lumens	DMV 120-277VAC 0-10V Dimming	30K 3000K 80 CRI	WH White	EM14 14W Emergency battery backup (integrated in fixtures 4' and longer)
					35K 3500K 80 CRI	BK Black	
					40K 4000K 80 CRI	SL Silver	
					50K 5000K 80 CRI		
					930K 3000K 90CRI		
					935K 3500K 90CRI		
					940K 4000K 90CRI		
					950K 5000K 90CRI		

OPTIONS	
HANGING KIT	
GT310	Cable kit with (2) 10' aircraft cable & 3 wires power feed/cable incl. and white canopy
GT315	Cable kit with (2) 15' aircraft cable & 3 wires power feed/cable incl. and white canopy
HC4015WWH	Cable kit with (2) 4' cable & 5 wires power feed/cable incl. and white canopy
HC4025WWH	Cable kit with (2) 12' cable & 5 wires power feed/cable incl. and white canopy
HC4016WH	Cable kit with (2) 4' cable & 6 wires power feed/cable incl and white canopy
HC4026WH	Cable kit with (2) 12' cable & 6 wires power feed/cable incl and white canopy

Note:

1. Sample notes.
2. Consult product catalog for more finish color options.
3. **NEW!** Personalize your lighting even further by choosing a standard flair color for your brackets, at no additional cost, from the guide on the following page.

*Programmable LED drivers allow custom configured wattages and corresponding lumens.

We reserve the right to change design, materials, LED's and finish in any way that will not alter installed appearance or reduce function and performance.

PRODUCT DIMENSIONS