

JOB NAME:

CAT#:

TYPE:

APPLICATIONS

The MCE-EZLED is a premium grade, designer, shallow, surface mounted wraparound cloud luminaire. It is ideal for use in indoor applications where aesthetics and quality are important such as: kitchens, recreation rooms, nursing homes, retail stores, and office areas.

- Regressed housing provides a floating appearance
- Surface Mounted
- Specially formed diffuser provides illumination on all sides
- _cUL_{us} listed for damp location

Die formed and spot welded, 22 gauge cold rolled steel housing. Spot-welded for rigidity and clean appearance. Ballast cover snaps into place eliminating the need for tools when accessing the ballast. Self-centering Diffuser hinges from either side in a lift and shift manner.

The most economical, practical, and user friendly series of LED fixtures with energy savings, quality of light, long life and hassle-free maintenance/ EZLED fixtures are UL listed with the latest LED T8 bypass lamps. These fixtures provide over 44% energy savings over comparable fluorescent fixtures utilizing less expensive fixtures than the fluorescent version (no ballast required). The also provide the flexibility to change the wattage and color temperature at any time. Are you concerned about maintenance with an LED array and driver fixture? EZLED resolves that issue by utilizing a self-contained LED lamp that fits into your fixture just like the classic fluorescent tube. The fixture performance will evolve over time with the evolution of the T8 LED lamp technology, and our five-year warranty guarantees a reliable, high quality product.

FEATURES & BENEFITS

Our EZLED fixtures come standard with SaveGreen T8 LED lamps. They are available in different wattage, lumens, and color temperature options (see lamp options and specifications at www.savegreenlighting.com).

- L₇₀ > 50,000 hrs.
- Operating temperature: -20°C to 50°C
- Color Temperature: 3500K, 4000K, 5000K
- G13 pins (same as fluorescent linear T8 bipin)
- AC100-277V
- Integral driver (non-isolated) eliminates the need for external driver or ballast
- Environmentally friendly, no mercury used
- UL Classified
- Min CRI 80
- 5 year warranty



Optional Dimming

The 4 foot lamps are available with a dimming option. Specially designed dimming lamps require an external driver that runs 1 or 2 lamps (more than 2 lamps require multiple external drivers).

Emergency Options

The standard EZLED lamps require an inverter or an all-inone emergency kit that includes LED array, battery, and driver. Dimmable T8 LED with external driver works with standard LED EM in it.

DIMENSIONS

2 Light: 50.0"L × 9.75"W × 3.375"H **4 Light**: 50.0"L × 13.75"W × 3.375"H



Note: In order for UL safety certification to be valid, only approved lamps may be installed in the fixture and must be shipped with the fixture from the factory.

2055 LUNA RD., STE. 142 CARROLLTON, TX 75006 © COPYRIGHT 2008-21 MOBERN LIGHTING COMPANY REVISED 02/06/2023

PAGE 1/2



MCE EZLED Contemporary Cloud

JOB NAME:

CAT#:

TYPE:

ORDERING

MOE

EXAMPLE: MCE 2 32 LED12W 830 INV5

IVICE												
1. SERIES	2. # OF LAMPS		3. LAMP TYPE		4. WATTAGE/LUMENS		5. COLOR TEMP		6. LAMP BRAND		7. INVERTER (O) ³	
MCE	2 4	2 Lamps 4 Lamps	32	48 inch T8	LED12W	125 Watts 1750 Lumens Keystone		3000K 3500K	Blank	House Brand Lamp	INV5	5W Integrated Inverter
					LEDL15W LEDL18W		840 850	4000K 5000K	KEY	(Savegreen) Keystone Brand		
							850	5000K	JAM	James Brand ²		

NOTES:

¹Premium Lamp Option ²Special Order ³(O) is optional

Dimensions and specifications subject to change without notice.



Note: In order for UL safety certification to be valid, only approved lamps may be installed in the fixture and must be shipped with the fixture from the factory.

© COPYRIGHT 2008-21 MOBERN LIGHTING COMPANY