

CATALOG# : _____

PROJECT : _____

TYPE : _____

Series SLP

LED Low Profile Pendant, Wall, Surface

Saylite introduces LED low profile Direct/Indirect rectilinear Lighting that can be pendant, surface and wall mounted individually. Ideal for general lighting applications in both commercial and residential applications for circulation spaces, high impact areas and kitchen islands and home offices. The versatility and clean styling makes this an ideal choice in many applications.

CONSTRUCTION

Powder coated white aluminum extrusion with white interior and cast aluminum end plates. The diffuser / lens is a smooth frosted acrylic. Available in 4 and 8 foot nominal lengths.

MOUNTING

Pendant Mount, Surface Mount or Wall Mount



DIMENSIONS

4ft- 48.00"L x 7.60"W x 1.90"H

8ft- 96.00"L x 7.60"W x 1.90"H

FEATURES & BENEFITS

- Available in Pendant, Surface and Wall mount
- Low profile 1.90"H
- Exceptionally well into low ceiling environments
- CRI >80
- >50,000 hrs of L70 LED life
- 0-10V Dimming 120-277V
- Power Factor 0.99
- 5 year warranty

ORDER INFORMATION

SERIES	LENS	SIZE	WATTAGE & LUMENS	DRIVER	COLOR
SLP Pendant	FR Frosted Lens	48L 48 inch	Down Light Only	DMV 122-277 VAC 0-10V Dimming (dim to 10%)	30K 3000K 80 CRI
	MW Matte White				
SLW Wall Mount	MW Matte White		Down Light Only	D1MV 120-277VAC 0-10V Dimming (dim to 1%)	35K 3500K 80 CRI
SLF Surface Mount			Up and Down		40K 4000K 80 CRI
			Up and Down		50K 5000K 80 CRI
			Up and Down		930K 3000K 90 CRI
			Up and Down		935K 3500K 90 CRI
			Up and Down		940K 4000K 90 CRI
		96L 96 inch	Down Light Only		
			Down Light Only		
			Down Light Only		
			Up and Down		
			Up and Down		




CONFIGURATION	FINISH	OPTIONS
Blank Individual	WH White	HC4015WWH Cable kit with 4' cable & 5 wires power feed/cable incl., white cord and white canopy (included power feed and non-power feed)
-B Beginner Run	SL Silver	HC401WHNPF Cable kit with 4' cable & white canopy, non power feed (non-power feed only)
-E Ender Run	RD Red	HC4025WWH Cable kit with 12' cable & 5 wires power feed/cable incl., white cord and white canopy (included power feed and non-power feed)
-J Joiner	IN Iron	HC402WHNPF Cable kit with 12' cable & white canopy, non power feed (non-power feed only)
	BK Black	EM14 14W Emergency battery backup (integrated in fixtures 4' and longer)

*Programmable LED drivers allow custom configured wattages and corresponding lumens.




NOTE: Values shown are typical or recorded under standardized conditions at 25°C. Actual performance may vary based on environment or application. Specifications are subject to change without notice. We reserve the right to change design, materials, LED's and finish in any way that will not alter installed appearance or reduce function and performance.

DRAWINGS & IMAGES

4ft - Pendant Mount




4ft - Surface Mount




Wall Mount

SIDE VIEW



END VIEW



DLC LISTED

ITEM NUMBER - 48L Downlight Only

SLPFR48LY24WDMV30KWH[YYYYYYYYY]
SLPFR48LY24WDMV35KWH[YYYYYYYYY]
SLPFR48LY24WDMV40KWH[YYYYYYYYY]
SLPFR48LY24WDMV50KWH[YYYYYYYYY]
SLPFR48LY36WDMV30KWH[YYYYYYYYY]
SLPFR48LY36WDMV35KWH[YYYYYYYYY]
SLPFR48LY36WDMV40KWH[YYYYYYYYY]
SLPFR48LY36WDMV50KWH[YYYYYYYYY]
SLPFR48LY54WDMV30KWH[YYYYYYYYY]
SLPFR48LY54WDMV35KWH[YYYYYYYYY]
SLPFR48LY54WDMV40KWH[YYYYYYYYY]
SLPFR48LY54WDMV50KWH[YYYYYYYYY]

ITEM NUMBER - 96L Downlight Only

SLPFR96LY48WDMV30KWH[YYYYYYYYY]
SLPFR96LY48WDMV35KWH[YYYYYYYYY]
SLPFR96LY48WDMV40KWH[YYYYYYYYY]
SLPFR96LY48WDMV50KWH[YYYYYYYYY]
SLPFR96LY72WDMV30KWH[YYYYYYYYY]
SLPFR96LY72WDMV35KWH[YYYYYYYYY]
SLPFR96LY72WDMV40KWH[YYYYYYYYY]
SLPFR96LY72WDMV50KWH[YYYYYYYYY]
SLPFR96LY108WDMV30KWH[YYYYYYYYY]
SLPFR96LY108WDMV35KWH[YYYYYYYYY]
SLPFR96LY108WDMV40KWH[YYYYYYYYY]
SLPFR96LY108WDMV50KWH[YYYYYYYYY]



ITEM NUMBER - 48L Uplight and Downlight

SLPFR48LUIY18WD24WDMV30KWH[YYYYYYYYY]
SLPFR48LUIY18WD24WDMV35KWH[YYYYYYYYY]
SLPFR48LUIY18WD24WDMV40KWH[YYYYYYYYY]
SLPFR48LUIY18WD24WDMV50KWH[YYYYYYYYY]
SLPFR48LUIY27WD36WDMV30KWH[YYYYYYYYY]
SLPFR48LUIY27WD36WDMV35KWH[YYYYYYYYY]
SLPFR48LUIY27WD36WDMV40KWH[YYYYYYYYY]
SLPFR48LUIY27WD36WDMV50KWH[YYYYYYYYY]

ITEM NUMBER - 96L Uplight and Downlight

SLPFR96LUIY36WD48WDMV30KWH[YYYYYYYYY]
SLPFR96LUIY36WD48WDMV35KWH[YYYYYYYYY]
SLPFR96LUIY36WD48WDMV40KWH[YYYYYYYYY]
SLPFR96LUIY36WD48WDMV50KWH[YYYYYYYYY]
SLPFR96LUIY54WD72WDMV30KWH[YYYYYYYYY]
SLPFR96LUIY54WD72WDMV35KWH[YYYYYYYYY]
SLPFR96LUIY54WD72WDMV40KWH[YYYYYYYYY]
SLPFR96LUIY54WD72WDMV50KWH[YYYYYYYYY]