



Texas Fluorescents
Reinvented

CATALOG#: _____
PROJECT: _____
TYPE: _____

Series RKG

All-In-One Retrofit Kit Center Basket

Convert an existing linear fluorescent fixture to a state-of-the-art linear LED fixture in minutes with LED All-In-One retrofit kit that will not only increase lighting performance, save energy and reduce maintenance but provide a fresh new look for the space. The Center Basket All-In-One retrofit kit provides the look of a popular indirect/direct linear fixture with a specially designed reflector and LED lens to provide comfortable, abundant lighting.

CONSTRUCTION

Completely die-formed from 22-gauge cold rolled steel. Frost Acrylic lens.

MOUNTING

Mounts in minutes to two ends that mount between the fixture body and the T-bar. Available in 2x2, 1x4 & 2x4 sizes and a variety of wattage, lumens and color temperatures.

TYPICAL OPTIONS & ACCESSORIES

Emergency battery backup, consult factory for details.



DIMENSIONS

2x2 - 23.90"L x 23.85"W x 3.65"H
2x4 - 47.90"L x 23.85"W x 3.65"H
1x4 - 47.90"L x 11.89"W x 3.75"H

FEATURES & BENEFITS

- CRI >80 standard
- L70: >50,000 Hours
- Multiple color temps available (3000K, 3500K, 4000K and 5000K); consult factory for RGBW option
- Programmable drivers allow a variety of lumen packages and wattages
- Dimming: 0-10V 120-277V standard, 120V ELV/TRIAC optional
- Power factor >0.90
- Emergency battery backup available
- 5 year warranty
- See last page for DLC listed fixtures



ORDER INFORMATION

Factory at your fingertips. Fill in the blanks to create your part number or create a custom configuration.

SERIES	LENGTH	WATTAGE & LUMENS ¹		DRIVER		CCT ²		OPTIONS		
RKG All-in-One Center Basket	22L 2x2	Y20W	20 Watts	DMV	0-10V Dimming	30K	3000K 80 CRI	WP	6 ft. 3 wire 18 gauge whip (non-dimming)	
			3000 Lumens							
		Y25W	25 Watts	G120	ELV/TRIAC Dimming at 120V only	35K	3500K 80 CRI	WP4	6 ft. 4 wire 18 gauge whip (non-dimming EM)	
			3800 Lumens							
		High Lumen	Y35W	35 Watts	D1MV	0-10V Dimming (dim to 1%)	40K	4000K 80 CRI	WP5W	6 ft. 5 wire 18 gauge whip
				5250 Lumens						
	Y44W	44 Watts	50K	5000K 80 CRI	930K	3000K 90 CRI	WP6W	6 ft. 6 wire 18 gauge whip (dimming EM)		
		6600 Lumens								
	24L 2x4	Y20W	20 Watts	935K	3500K 90 CRI	940K	4000K 90 CRI	SD	Daylight Harvesting Sensor	
			3000 Lumens							
			Y25W							25 Watts
										3800 Lumens
			Y35W							35 Watts
		5250 Lumens								
		Y45W	45 Watts							
6600 Lumens										
Y50W		50 Watts								
	7300 Lumens									
High Lumen	Y65W	65 Watts								
		9300 Lumens								
		Y70W	70 Watts							
10000 Lumens										
Y88W	88 Watts									
	12000 Lumens									
14L 1x4	Y20W	20 Watts	SM	Microwave Occupancy Sensor						
		3000 Lumens								
	Y25W	25 Watts								
		3800 Lumens								
	Y35W	35 Watts								
5250 Lumens										
Y45W	45 Watts									
	6600 Lumens									
Y88W	88 Watts									
	12000 Lumens									

NOTE:


¹ Programmable LED drivers allow custom configured wattages and corresponding lumens.

² Consult factory for 90 CRI availability.


Values shown are typical or recorded under standardized conditions at 25°C. Actual performance may vary based on environment or application. Specifications are subject to change without notice. We reserve the right to change design, materials, LED's and finish in any way that will not alter installed appearance or reduce function and performance.

DRAWINGS & IMAGES



Back
2x2





End



2x4



1x4



Replacement Lens Ordering Information

SERIES	DESCRIPTION
ORKG2x2	Replacement lens for 2x2
ORKG2x4	Replacement lens for 2x4
ORKG1x4	Replacement lens for 1x4



Texas Fluorescents
Reinvented

CATALOG#: _____

PROJECT: _____

TYPE: _____

Series RKG

All-In-One Retrofit Troffer Kit
Center Basket

DLC LISTED



ITEM NUMBER - 2x2

- RKG22LY20WDMV30K
- RKG22LY20WDMV35K
- RKG22LY20WDMV40K
- RKG22LY20WDMV50K
- RKG22LY25WDMV30K
- RKG22LY25WDMV35K
- RKG22LY25WDMV40K
- RKG22LY25WDMV50K
- RKG22LY35WDMV30K
- RKG22LY35WDMV35K
- RKG22LY35WDMV40K
- RKG22LY35WDMV50K
- RKG22LY44WDMV30K
- RKG22LY44WDMV35K
- RKG22LY44WDMV40K
- RKG22LY44WDMV50K

ITEM NUMBER - 2x4

- RKG24LY20WDMV30K
- RKG24LY20WDMV35K
- RKG24LY20WDMV40K
- RKG24LY20WDMV50K
- RKG24LY25WDMV30K
- RKG24LY25WDMV35K
- RKG24LY25WDMV40K
- RKG24LY25WDMV50K
- RKG24LY35WDMV30K
- RKG24LY35WDMV35K
- RKG24LY35WDMV40K
- RKG24LY35WDMV50K
- RKG24LY45WDMV30K
- RKG24LY45WDMV35K
- RKG24LY45WDMV40K
- RKG24LY45WDMV50K
- RKG24LY50WDMV30K
- RKG24LY50WDMV35K
- RKG24LY50WDMV40K
- RKG24LY50WDMV50K
- RKG24LY65WDMV30K
- RKG24LY65WDMV35K
- RKG24LY65WDMV40K
- RKG24LY65WDMV50K
- RKG24LY70WDMV30K
- RKG24LY70WDMV35K
- RKG24LY70WDMV40K
- RKG24LY70WDMV50K
- RKG24LY88WDMV30K
- RKG24LY88WDMV35K
- RKG24LY88WDMV40K
- RKG24LY88WDMV50K